

## 118000 liter tank i Syrafast 316



**583,000,00 kr /st exkl moms**

**Additional information:** Pharmaceutical waste water; Manhole cylinder NW 600; some residues of previous content

**Volumetric volume (L):** 118.000 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 100 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 100

**Agitator:** yes

**Top:** 6 mm

**Cylinder:** 5 mm

**Bottom:** 12 mm

**Internal diameter tank:** 4.000 mm

**Cylinder height:** 8.400 mm

**Total height of tank:** 13.100 mm

**SKU:** 474563

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 100 °C

Mobil tank: Nej

Övrig information: Industrial wastewater tank in pharmaceutical chemistry; Manhole cylinder NW 600; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 118000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 8.400 mm

Invändig diameter: 4.000 mm

Total höjd: 11.010 mm

**Tjocklek på tank**

Botten: 12 mm

Cylinder: 5 mm

Topp: 6 mm

**Mer**

Isolerad: Nej