

1183 liter tank i Syrafast 316



64,000,00 kr /st exkl moms

Additional information: Pharmaceutical Chemistry; Frame made of 1.4301 (Aisi 304); 1 hand hole diameter approx. 310 mm with flanged, open attachment (diameter approx. 270 mm) on top of the vessel

Volumetric volume (L): 1.183 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 6 Bar

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 200 °C

Material wet parts: SS AISI 316 (V4A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 55

Agitator: yes

Number of revolutions: 1.425

Power: 1,10

Internal diameter tank: 890 mm

Total height of tank: 1.900 mm

Total outer length: 2.350 mm

SKU: 486794

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure and vacuum

Konfiguration: single-skin

Max. arbetstemperatur: 200 °C

Mobil tank: Nej

Övrig information: Pharmaceutical Chemistry; Frame made of 1.4301 (Aisi 304); 1 hand hole diameter approx. 310 mm with flanged, open attachment (diameter approx. 270 mm) on top of the vessel; we can't give any

Övrig information2: guarantees about the agitator

Omrörare: Ja

Övertryck: 6 Bar

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1183

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Invändig diameter: 890 mm

Total höjd: 1.900 mm

Omrörare

Kraft (kW): 1,10

Varvtal: 1.425

Mer

Isolerad: Nej