

120 liter tank i Rostfritt 304



38,000,00 kr /st exkl moms

Article type: second-hand storage tank

Additional information: we can't give any guarantees about the heating/cooling jacket

Volumetric volume (L): 120 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes



Mobile tank: no

Top type: large seperat lid

Shape of tank: cylindrical

Bottom type: flat

Total discharge: yes

Fixation points: 4 casters

Type of HE on the cylinder: dimple-jacket

Position HE: the complet cilinder

Water pressure HE: 2 Bar

Steam pressure HE: 1 Bar

Heat exchanger: RVS 304

Insulation material: Rockwool

Outer jacket (ornamental wall): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 500 mm

Agitator: no

Internal diameter tank: 500 mm

Distance from outlet to ground: 300 mm

Outer diameter tank: 600 mm

Cylinder height: 650 mm

Total height of tank: 1.200 mm

Empty weight tank: 250

SKU: 475060

Mer information
