1200 liter tank i Rostfritt 304

26,000,00 kr /st exkl moms

Additional information: Cosmetics; Tank 1: smaller dents in the lower bottom, manhole diameter approx. 430 mm (loose manhole cover), total height lower (approx. 1,450 mm); Tank 2: manhole diameter approx. 500 mm; tank with stronger dents; see photos
Volumetric volume (L): 1.200 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN25 DIN 11851
Internal diameter tank: 1.200 mm
Cylinder height: 900 mm
Total height of tank: 1.600 mm

SKU: 430019

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Cosmetics; Tank 1: smaller dents in the lower bottom, manhole diameter approx. 430 mm (loose manhole cover), total height lower (approx. 1,450 mm); Tank 2: manhole diameter approx. 500 mm; tank with
Övrig information2: stronger dents; see photos
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1200

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 900 mm
Invändig diameter: 1.200 mm
Total höjd: 1.600 mm

Mer

Isolerad: Nej

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor