

1200 liter tank i Rostfritt 304



57,000,00 kr /st exkl moms

Additional information: Pharmacy; 2 longitudinal sight glasses in the cylinder; bump at the insulation jacket

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 115 L

Max Overpressure: 0,50 Bar

Max. working temperature: 110 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 33

Agitator: yes

Number of revolutions: 15 / 30

Power: 2.6 / 3.75

Internal diameter tank: 1.090 mm

Outer diameter tank: 1.260 mm

Total height of tank: 4.000 mm

Empty weight tank: 750

SKU: 482236

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 80 °C

Mobil tank: Nej

Övrig information: Pharmacy; 2 longitudinal sight glasses in the cylinder; bump at the insulation jacket; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Invändig diameter: 1.090 mm

Total höjd: 4.000 mm

Ytterdiameter: 1.260 mm

Omrörare

Kraft (kW): 2.6 / 3.75

Varvtal: 15 / 30

Mer

Isolerad: Ja

Vikt: 750