

1200 liter tank i Rostfritt 304



29 000 SEK /st exkl moms

Additional information: Chemistry; Stainless steel 304 support ring; 1 vessel with 2 smaller dents in the lower base; on one vessel, the outlet is slightly pressed into the lower base; 1 vessel with flanged outlet fitting (if used, the overall height would increase by approx. 320 mm); some residues of previous content

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: 70
Agitator: yes
Number of revolutions: 1.420
Power: 4
Internal diameter tank: 990 mm

Cylinder height: 1.500 mm
Total height of tank: 2.500 mm

SKU: 397076

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Support ring made of Aisi 304; 1 tank with 2 smaller dents in the lower bottom; in the case of one tank, the outlet is pressed slightly into the lower bottom; 1 tank with flange-mounted

Övrig information2: outlet fitting (if used, the total height would increase by approx. 320 mm) ; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 990 mm

Total höjd: 2.500 mm

Omrörare

Kraft (kW): 4

Varvtal: 1.420

Mer

Isolerad: Nej