

1200 liter tank i Rostfritt 304



30 000 SEK /st exkl moms

Additional information: Beverage industry; Manhole diameter approx. 380 mm; some residues of previous content

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN40 DIN 11851

Agitator: yes

Power: 1,10

Internal diameter tank: 990 mm

Cylinder height: 1.500 mm

Total height of tank: 2.550 mm

SKU: 418319

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Beverage industry; Diameter manhole appr. 380 mm; some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.500 mm

Invändig diameter: 990 mm

Total höjd: 2.550 mm

Omrörare

Kraft (kW): 1,10

Mer

Isolerad: Nej
