

1200 liter tank i Syrafast 316



29 000 SEK /st exkl moms

Additional information: 3-legged frame made of Fe (lacquered); support ring of the cover made of Fe; 1 circular opening in the lid (see photos); some residues of previous content

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 75

Agitator: yes

Number of revolutions: 1.410

Power: 0,74

Top: 2 mm

Cylinder: 1,80 mm

Bottom: 2 mm

Internal diameter tank: 1.250 mm

Cylinder height: 1.000 mm

Total height of tank: 3.000 mm

SKU: 402308

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: 3-legged frame made of Fe (lacquered); support ring of the cover made of Fe; 1 circular opening in the lid (see photos) ; some residues of previous content; we can't give any guarantees about the

Övrig information2: agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.250 mm

Total höjd: 3.000 mm

Omrörare

Kraft (kW): 0,74

Varvtal: 1.410

Tjocklek på tank

Botten: 2 mm

Cylinder: 1,80 mm

Topp: 2 mm

Mer

Isolerad: Nej