

1200 liter tank i Syrafast 316



96,000,00 kr /st exkl moms

Article type: second-hand mixing tank

Additional information: Previous product was various sauces; the tank was in use when purchased; the customer sold the tank because he needed a larger capacity; originally the agitator was equipped with scrapers but these are no longer included.; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical



Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Top type: half hinging lid

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 adjustable feet

Type of HE on the cylinder: dimple-jacket

Water pressure HE: 3 Bar

Steam pressure HE: 3 Bar

Type of HE on the bottom: dimple-jacket

Water pressure HE: 3 Bar

Steam pressure HE: 3 Bar

Heat exchanger: RVS 304

Insulation material: rockwool

Outer jacket (ornamental wall): RVS 304

Fixation point(s): RVS 304

Wet parts agitator(s): SS AISI 316 (V4A)

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet type: DIN11851

Agitator: yes

Agitator type: gate

Position engine: at the top

Number of revolutions: ca 12

Cylinder: 3 mm

Bottom: 3 mm

Cylinder: 2

Insulation body: yes

Bottom: 2

Insulation bottom/sides: yes

finish of the outer jacket: welded

Insulation thickness: 50

Internal diameter tank: 1.200 mm

Distance from outlet to ground: 940 mm

Outer diameter tank: 1.300 mm

Cylinder height: 1.000 mm

Height of top: 2.150 mm

Total height of tank: 2.800 mm

Empty weight tank: 700

SKU: 484871

Mer information
