

1200 liter tank i Syrafast 316



24,000,00 kr /st exkl moms

Additional information: Cosmetics; 4-legged frame made of stainless steel 304; cone height approx. 650 mm; manhole diameter approx. 410 mm (fastening screws partially incomplete); 7 containers with stacking ring in the upper bottom; hand lever of the disk taps partially slightly bent or incomplete); containers partially with stronger dents; traces of usage

Volumetric volume (L): 1.200 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN65 DIN 11851
Internal diameter tank: 1.190 mm
Cylinder height: 740 mm
Total height of tank: 2.200 mm

SKU: 488759

Mer information



Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; 4-legged frame made of stainless steel 304; cone height approx. 650 mm; manhole diameter approx. 410 mm (fastening screws partially incomplete); 7 containers with stacking ring in the

Övrig information2: upper bottom; hand lever of the disk taps partially slightly bent or incomplete); containers partially with stronger dents; traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 740 mm

Invändig diameter: 1.190 mm

Total höjd: 2.200 mm

Mer

Isolerad: Nej
