

## 1200 liter tank i Syrafast 316



**21,000,00 kr /st exkl moms**

**Additional information:** Cosmetics; 4-legged frame made of stainless steel 304; cone height approx. 650 mm; manhole diameter approx. 410 mm (fastening screws partially incomplete); 7 containers with stacking ring in the upper bottom; hand lever of the disk taps partially slightly bent or incomplete); containers partially with stronger dents; traces of usage

**Volumetric volume (L):** 1.200 L  
**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 316 (V4A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside

**Outlet of tank:** DN65 DIN 11851  
**Internal diameter tank:** 1.190 mm  
**Cylinder height:** 740 mm  
**Total height of tank:** 2.200 mm

**SKU:** 488759

## Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Cosmetics; 4-legged frame made of stainless steel 304; cone height approx. 650 mm; manhole diameter approx. 410 mm (fastening screws partially incomplete); 7 containers with stacking ring in the

Övrig information2: upper bottom; hand lever of the disk taps partially slightly bent or incomplete); containers partially with stronger dents; traces of usage

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1200

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 740 mm

Invändig diameter: 1.190 mm

Total höjd: 2.200 mm

**Mer**

Isolerad: Nej

---