

## 12000 liter tank i Rostfritt 304



**69 000 SEK /st exkl moms**

**Article type:** second-hand storage tank

**Additional information:** there is still some blood in the tank, previous product was intestinal mucus

**Volumetric volume (L):** 12.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Top type:** dished

**Shape of tank:** cylindrical

**Bottom type:** dished

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Manway(s):** RVS 304

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** at the top

**Height manhole 1 (mm):** 450 mm x H 340 mm

**Tank outlet:** inside Ø 80 mm

**Agitator:** no

**Top:** 3 mm

**Cylinder:** 2,40 mm

**Bottom:** 3 mm

**Distance from outlet to ground:** 150 mm

**Outer diameter tank:** 2.400 mm

**Cylinder height:** 2.550 mm

**Total height of tank:** 4.000 mm

**Empty weight tank:** 650

**SKU:** 59313

## Mer information

### Beskrivning av produkt

Livsmedelsklassad: Ja

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: there is still some blood in the tank, previous product was intestinal mucus

Omrörare: Nej

Tankens form: cylindrical

Total urtappning: Ja

Typ av botten: dished

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12000

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Livsmedelsklassad: Ja

Tankutlopp: inside Ø 80 mm

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

Fixeringspunkt(er): RVS 304



## **Dimensioner av tank**

Cylinderhöjd: 2.550 mm  
Mått utlopp till marken: 150 mm  
Total höjd: 4.000 mm  
Ytterdiameter: 2.400 mm

## **Tjocklek på tank**

Botten: 3 mm  
Cylinder: 2,40 mm  
Topp: 3 mm

## **Mer**

Isolerad: Nej  
Vikt: 650