

## 12000 liter tank i Rostfritt 304



**75,000,00 kr /st exkl moms**

**Article type:** second-hand mixing tank

**Additional information:** dents in the top --> please look carefully at the pictures; we can't give any guarantees about the agitator

**Volumetric volume (L):** 12.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no



**Insulation:** yes

**Mobile tank:** no

**Top type:** conical

**Shape of tank:** cylindrical

**Bottom type:** conical

**Total discharge:** yes

**Fixation points:** 4 adjustable feet

**Insulation material:** Rockwool

**Outer jacket (ornamental wall):** RVS 304

**Manway(s):** RVS 304

**Gasket manway(s):** unknown

**Fixation point(s):** RVS 304

**Suitable for food industry:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Number of manways:** 1

**Position of manway:** cylinder

**Height manhole 1 (mm):** 435 mm x H 315 mm

**Tank outlet:** inside Ø 40 mm

**Outlet type:** DIN11851 female

**Agitator:** yes

**Agitator type:** propeller agitator

**Position engine:** in the cylinder

**Number of revolutions:** 700

**Power:** 1,10

**Voltage:** three-phase

**finish of the outer jacket:** welded

**Insulation thickness:** 50

**Internal diameter tank:** 2.400 mm

**Distance from outlet to ground:** 400 mm

**Outer diameter tank:** 2.500 mm

**Cylinder height:** 2.700 mm

**Total height of tank:** 4.100 mm

**Empty weight tank:** 1.500

**SKU:** 92173

---

Mer information

---