

12000 liter tank i Rostfritt 304



94,000,00 kr /st exkl moms

Additional information: Spirits; Basic dimensions inside approx. 2620 x 1830 mm (walls curved outwards); Wall height approx. 2210 mm; 1 manhole approx. 340 x 440 mm in the front of the tank; Tank inside with adhesions; 1 tank with 2 dents in the transition cylinder/upper bottom; the other tank with stronger dents in the upper bottom (see photos)

Volumetric volume (L): 12.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN50 DIN 11851
Total height of tank: 2.950 mm

Total outer width: 2.020 mm
Total outer length: 3.000 mm

SKU: 276574

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Spirits; Basic dimensions inside approx. 2620 x 1830 mm (walls curved outwards); Wall height approx. 2210 mm; 1 manhole approx. 340 x 440 mm in the front of the tank; Tank inside with adhesions; 1

Övrig information2: tank with 2 dents in the transition cylinder/upper bottom; the other tank with stronger dents in the upper bottom (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 2.950 mm

Mer

Isolerad: Nej