12000 liter tank i Rostfritt 304



94 000 SEK /st exkl moms

Additional information: Spirits; Basic dimensions inside approx. 2620 x 1830 mm (walls curved outwards); Wall height approx. 2210 mm; 1 manhole approx. 340 x 440 mm in the front of the tank; Tank inside with adhesions; 1 tank with 2 dents in the transition cylinder/upper bottom; the other tank with stronger dents in the upper bottom (see photos)
Volumetric volume (L): 12.000 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Configuration: single-skin

Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: DN50 DIN 11851
Total height of tank: 2.950 mm

Total outer width: 2.020 mm
Total outer length: 3.000 mm

SKU: 400616

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Spirits; Basic dimensions inside approx. 2620 x 1830 mm (walls curved outwards); Wall height approx. 2210 mm; 1 manhole approx. 340 x 440 mm in the front of the tank; Tank inside with adhesions; 1
Övrig information2: tank with 2 dents in the transition cylinder/upper bottom; the other tank with stronger dents in the upper bottom (see photos)
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 12000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Total höjd: 2.950 mm

Mer

Isolerad: Nej