

12000 liter tank i Syrafast 316



88 000 SEK /st exkl moms

Additional information: rennet-production; Minor dents in the cylinder; small rectangular plates were welded in at several points in the cylinder by the previous operator; some residues of previous content

Volumetric volume (L): 12.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 38

Agitator: yes

Power: 0,55

Internal diameter tank: 1.900 mm

Cylinder height: 4.240 mm

Total height of tank: 5.550 mm

SKU: 270892

Mer information

Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: rennet-production; smaller dents in the cylinder; small rectangular sheets were welded in by the previous operator in several places of the cylinder; some residues of previous content; we can't give

Övrig information2: any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 12000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 4.240 mm

Invändig diameter: 1.900 mm

Total höjd: 5.550 mm

Omrörare

Kraft (kW): 0,55

Mer

Isolerad: Nej
