12000 liter tank i Syrafast 316



89 000 SEK /st exkl moms

Additional information: rennet-production; Minor dents in the cylinder; small rectangular plates were welded in at several points in the cylinder by the previous operator; some residues of previous content
Volumetric volume (L): 12.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 316 (V4A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Outlet of tank: 38

Agitator: yes
Power: 0,55
Internal diameter tank: 1.900 mm
Cylinder height: 4.240 mm
Total height of tank: 5.550 mm

SKU: 395039

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: rennet-production; smaller dents in the cylinder; small rectangular sheets were welded in by the previous operator in several places of the cylinder; some residues of previous content; we can't give
Övrig information2: any guarantees about the agitator
Omrörare: Ja
Total urtappning: Yes
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 12000

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 4.240 mm
Invändig diameter: 1.900 mm
Total höjd: 5.550 mm

Omrörare

Kraft (kW): 0,55

Mer
Isolerad: Nej