

## 12000 liter tank i Syrafast 316



**96 000 SEK /st exkl moms**

**Additional information:** Cosmetics; on request - up to 11 pieces available

**Volumetric volume (L):** 12.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 50 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** available

**Internal diameter tank:** 2.120 mm

**Cylinder height:** 3.000 mm

**Total height of tank:** 4.400 mm

**Empty weight tank:** 1.000

**SKU:** 565277

Mer information



## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Cosmetics; on request – up to 11 pieces available

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 12000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.120 mm

Total höjd: 4.400 mm

## Mer

Isolerad: Nej

Vikt: 1.000