

120000 liter tank i Rostfritt 304



470,000 SEK /st exkl moms

Additional information: Food; Insulating cladding and insulation in the area of the upright frame plus 30 cm above removed (see pictures)

Volumetric volume (L): 120.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Agitator: yes

Number of revolutions: 470 / 935

Power: 1.0 / 4.4

Internal diameter tank: 3.650 mm

Cylinder height: 11.500 mm

Total height of tank: 12.860 mm

Empty weight tank: 11.000

SKU: 567371

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Food; Insulating cladding and insulation in the area of the upright frame plus 30 cm above removed (see pictures); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 120000

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 11.500 mm

Invändig diameter: 3.650 mm

Total höjd: 12.860 mm

Omrörare

Kraft (kW): 1.0 / 4.4

Varvtal: 470 / 935

Mer

Isolerad: Ja

Vikt: 11.000
