

12200 liter tank i Rostfritt 304



119 000 SEK /st exkl moms

Additional information: 4 loose bearing shells per vessel

Volumetric volume (L): 12.200 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C



Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Outer diameter tank: 2.002 mm

Total height of tank: 2.600 mm

Total outer length: 4.430 mm

Empty weight tank: 850

SKU: 706456

Mer information



Beskrivning av produkt

Material: Stainless steel 304
Modell: Horizontal
Nyttillverkad/Begagnad: Used
Arbetsstryck i tank: ATM – atmospheric
Konfiguration: single-skin
Max. arbetstemperatur: 50 °C
Mobil tank: No, it is not.
Övrig information: 4 loose bearing shells per vessel
Omrörare: No
Total urtappning: Yes
Uppvärmning/kylning: No, it is not.
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 12200

Utrustning

Dokument finns: No, it is not.
Fläns för omrörare: No
Märkskylt: Yes
Teknisk ritning finns: No, it is not.

Översikt material

Material: Stainless steel 304

Dimensioner av tank

Total höjd: 2.600 mm
Ytterdiameter: 2.002 mm

Mer

Isolerad: No
Vikt: 850