

12200 liter tank i Rostfritt 304



88 000 SEK /st exkl moms

Additional information: spirits; footplates made of Fe; manhole diameter 430 mm; 1 stronger dent in the cylinder; some residues of previous content; dents at the cylinder

Volumetric volume (L): 12.200 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: yes

Position of manway: headside

Outlet of tank: DN40 DIN 11851

Internal diameter tank: 2.100 mm

Cylinder height: 3.000 mm

Total height of tank: 4.550 mm

SKU: 271807

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: spirits; footplates made of Fe; manhole diameter 430 mm; 1 stronger dent in the cylinder; some residues of previous content;dents at the cylinder

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12200

Utrustning

Dokument finns: Nej

Fläns för omrörare: Ja

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm

Invändig diameter: 2.100 mm

Total höjd: 4.550 mm

Mer

Isolerad: Nej