

12440 liter tank i Rostfritt 304



98,000,00 SEK /st exkl moms

Additional information: Brewery; Manhole approx. 325 x 420 mm

Volumetric volume (L): 12.440 L

Pressure in tank: pressure

Max. pressure (Bar): 2,60 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Cylinder: 2,50 mm

Bottom: 3,90 mm

Internal diameter tank: 2.290 mm

Outer diameter tank: 2.300 mm

Cylinder height: 2.190 mm

Total height of tank: 4.550 mm

SKU: 309517

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Max. arbetstemperatur: 20 °C
Mobil tank: Nej
Övrig information: Brewery; Manhole approx. 325 x 420 mm
Omrörare: Nej
Övertryck: 2,60 Bar
Total urtappning: Ja
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 12440

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 2.190 mm
Invändig diameter: 2.290 mm
Total höjd: 4.550 mm
Ytterdiameter: 2.300 mm

Tjocklek på tank

Botten: 3,90 mm

Cylinder: 2,50 mm

Mer

Isolerad: Nej