

## 125 liter tank i Syrafast 316



## 32 000 SEK /st exkl moms

**Additional information:** pharmaceuticals

**Volumetric volume (L):** 125 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 3 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 150 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** non-existent

**Internal diameter tank:** 450 mm

**Cylinder height:** 650 mm

**Total height of tank:** 1.200 mm

**Empty weight tank:** 110

**SKU:** 268504

## Mer information

### Beskrivning av produkt

Material: Syrafast 316  
Modell: Vertikal  
Nyttillverkad/Begagnad: Begagnad  
Arbetsstryck i tank: pressure and vacuum  
Konfiguration: single-skin  
Max. arbetstemperatur: 150 °C  
Mobil tank: Nej  
Övrig information: pharmaceuticals  
Omrörare: Nej  
Övertryck: 3 Bar  
Total urtappning: Nej  
Undertryck (vakuum): 1 Bar  
Trycktank: Ja  
Uppvärmning/kylning: Nej  
Vätskeberörd yta: SS AISI 316 (V4A)  
Volym i liter: 125

### Utrustning

Dokument finns: Nej  
Fläns för omrörare: Nej  
Märkskylt: Ja  
Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316



## Dimensioner av tank

Cylinderhöjd: 650 mm

Invändig diameter: 450 mm

Total höjd: 1.200 mm

## Mer

Isolerad: Nej

Vikt: 110