

1250 liter tank i Rostfritt 304



28 000 SEK /st exkl moms

Additional information: Cip tanks in the pharmaceutical industry; Slight differences in the design of the two tanks; dents in the insulation jacket of the lower bottom; 1 tank also has 1 dent in the insulation jacket in the cylinder area (this tank also lacks the spray head); some residues of previous content

Volumetric volume (L): 1.250 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.240 mm
Outer diameter tank: 1.350 mm
Cylinder height: 1.000 mm
Total height of tank: 1.750 mm

SKU: 481948

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: insulated

Mobil tank: Nej

Övrig information: Cip tanks in the pharmaceutical industry; Slight differences in the design of the two tanks; dents in the insulation jacket of the lower bottom; 1 tank also has 1 dent in the insulation jacket in

Övrig information2: the cylinder area (this tank also lacks the spray head); some residues of previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1250

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.240 mm

Total höjd: 1.750 mm

Ytterdiameter: 1.350 mm

Mer

Isolerad: Ja
