


12500 liter tank i Rostfritt 304



113,000,00 kr /st exkl moms

Additional information: Food oil (castor oil); 1 loose footpedestal made of Fe for each tank is included; specified total height including footpedestal (approx. 970 mm); manhole diameter approx. 520 mm; outlet taps incomplete; small cracks in the insulation jacket; 1 small bead in the lower bottom (see interior photos); 1 tank with slight metallic discolouration inside (see inside photos); 1 control cabinet is included for one of

the two tanks; some residues of previous content; bump at the insulation jacket

Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: DN80 DIN 11851

Agitator: yes

Number of revolutions: 240 / 480

Power: 3 / 12

Internal diameter tank: 2.490 mm

Outer diameter tank: 2.650 mm

Cylinder height: 2.600 mm

Total height of tank: 5.300 mm

SKU: 273169

Mer information
