

## 12500 liter tank i Rostfritt 304



**161 000 SEK /st exkl moms**

**Additional information:** Wine storage; Heating / cooling jacket (Thermoplate) by approx. 1,220 mm of the cylinder height; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); If you are looking for another tank that is identical to this item, we can possibly offer you 1 identical tank from an external

warehouse (no guarantee)

**Volumetric volume (L):** 12.500 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Internal diameter tank:** 1.960 mm

**Cylinder height:** 3.950 mm

**Total height of tank:** 5.050 mm

**SKU:** 276109

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: Wine storage; Heating / cooling jacket (Thermoplate) by approx. 1,220 mm of the cylinder height; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN

Övrig information2:

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.950 mm

Invändig diameter: 1.960 mm

Total höjd: 5.050 mm

## Mer

Isolerad: Nej

