

12500 liter tank i Rostfritt 304



95 000 SEK /st exkl moms

Additional information: Chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discolouration inside the tank

Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.980 mm

Cylinder height: 4.000 mm

Total height of tank: 4.900 mm

SKU: 438530

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discolouration inside the tank

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 4.000 mm

Invändig diameter: 1.980 mm

Total höjd: 4.900 mm

Mer

Isolerad: Nej