

## 12500 liter tank i Rostfritt 304



**175 000 SEK /st exkl moms**

**Additional information:** chemistry; drawings of a tank and agitator similar in design are available; some residues of previous content; manhole cover plated

**Volumetric volume (L):** 12.500 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the cylinder:** heating/cooling jacket

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** 175

**Agitator:** yes

**Number of revolutions:** 7

**Power:** 2

**Internal diameter tank:** 2.000 mm

**Outer diameter tank:** 2.060 mm

**Cylinder height:** 3.530 mm

**Total height of tank:** 6.100 mm

**SKU:** 267178

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; drawings of a tank and agitator similar in design are available; some residues of previous content; manhole cover plated; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 3.530 mm

Invändig diameter: 2.000 mm

Total höjd: 6.100 mm

Ytterdiameter: 2.060 mm

## Omrörare

Kraft (kW): 2

Varvtal: 7

**Mer**

Isolerad: Nej

---