

12500 liter tank i Rostfritt 304



176,000,00 kr /st exkl moms

Additional information: chemistry; drawings of a tank and agitator similar in design are available; some residues of previous content; manhole cover plated

Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 175

Agitator: yes

Number of revolutions: 7

Power: 2

Internal diameter tank: 2.000 mm

Outer diameter tank: 2.060 mm

Cylinder height: 3.530 mm

Total height of tank: 6.100 mm

SKU: 267178

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single jacketed with heat-exchanger

Mobil tank: Nej

Övrig information: chemistry; drawings of a tank and agitator similar in design are available; some residues of previous content; manhole cover plated; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 12500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.530 mm

Invändig diameter: 2.000 mm

Total höjd: 6.100 mm

Ytterdiameter: 2.060 mm

Omrörare

Kraft (kW): 2

Varvtal: 7

Mer

Isolerad: Nej
