

## 12500 liter tank i Syrafast 316



**112,000,00 kr /st exkl moms**

**Additional information:** textile industry; Flanges (not in contact with the product) partly made of mild steel; manhole diameter 600 mm; manhole cover plated

**Volumetric volume (L):** 12.500 L

**Pressure in tank:** ATM - atmosferic



**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** non-existent

**Top:** 5,70 mm

**Cylinder:** 5,20 mm

**Bottom:** 5,30 mm

**Internal diameter tank:** 2.500 mm

**Cylinder height:** 2.200 mm

**Total height of tank:** 3.300 mm

**Empty weight tank:** 1.500

**SKU:** 452846

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: textile industry; Flanges (not in contact with the product) partly made of mild steel; manhole diameter 600 mm; manhole cover plated

Omrörare: Nej

Total urtappning: Nej

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 12500

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 2.200 mm

Invändig diameter: 2.500 mm

Total höjd: 3.300 mm

## Tjocklek på tank

Botten: 5,30 mm

Cylinder: 5,20 mm

Topp: 5,70 mm

**Mer**

Isolerad: Nej

Vikt: 1.500