

127 liter tank i Rostfritt 304



59 000 SEK /st exkl moms

Article type: second-hand pressure tank

Additional information: The tank has never been used.

Volumetric volume (L): 127 L

Max. density P (kg/m³): 1.334

Pressure in tank: pressure

Max. pressure (Bar): 6 Bar

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: flat

Shape of tank: cylindrical

Bottom type: flat

Total discharge: yes

Fixation points: 3 non adjustable feet

Gasket shut-off valve (mat): EPDM

Suitable for food industry: no

Documents included: no

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

Tank outlet: inside Ø 110 mm

Outlet of tank: DN100

Agitator: no, optional

Cylinder: 4 mm

Bottom: 3 mm

Internal diameter tank: 400 mm

Distance from outlet to ground: 322 mm

Outer diameter tank: 408 mm

Cylinder height: 1.000 mm

Feet height: 420 mm

Total height of tank: 1.600 mm

Total outer width: 730 mm

Total outer length: 840 mm

Empty weight tank: 225

SKU: 708232



Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nyttillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single-skin
Maximal densitet för produkten: 1334
Mobil tank: Nej
Övrig information: The tank has never been used.
Omrörare: Nej
Övertryck: 6 Bar
Tankens form: cylindrical
Total urtappning: Ja
Typ av botten: flat
Trycktank: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304L (V2A)
Volym i liter: 127

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Tankutlopp: inside Ø 110 mm
Teknisk ritning finns: Ja

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Cylinderhöjd: 1.000 mm
Höjd på fötter: 420 mm
Invändig diameter: 400 mm
Mått utlopp till marken: 322 mm
Total höjd: 1.600 mm
Ytterdiameter: 408 mm

Tjocklek på tank

Botten: 3 mm
Cylinder: 4 mm

Mer

Isolerad: Nej
Vikt: 225