

1270 liter tank i Rostfritt 304



88,000,00 kr /st exkl moms

Additional information: Dairy; Possibly also double jacket or former double jacket around the lower bottom; lower bottom of the inner tank with smaller dents

Volumetric volume (L): 1.270 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 95 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 20 L

Max Overpressure: 3 Bar

Max. working temperature: 95 °C

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN50

Agitator: yes

Number of revolutions: 25 / 49

Power: 0.3 / 0.6

Internal diameter tank: 1.180 mm

Outer diameter tank: 1.320 mm

Cylinder height: 970 mm

Total height of tank: 2.650 mm

SKU: 486326

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Dairy; Possibly also double jacket or former double jacket around the lower bottom; lower bottom of the inner tank with smaller dents; we can't give any guarantees about the heating/cooling jacket;

Övrig information2: we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1270

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 970 mm
Invändig diameter: 1.180 mm
Total höjd: 2.650 mm
Ytterdiameter: 1.320 mm

Omrörare

Kraft (kW): 0.3 / 0.6
Varvtal: 25 / 49

Mer

Värmeväxlare: RVS 304
Isolerad: Ja