

1285 liter tank i Rostfritt 304



118 000 SEK /st exkl moms

Additional information: Brewery; According to the previous operator, the vessels were last used as fermentation tanks in a brewery with an operating pressure of + 2 bar. According to the drawing, the tanks were approved with a test pressure of +4 bar. However, a TÜV test was not carried out; manhole diameter 350 mm; 1 height-adjustable spherical head screw of the feet is missing on one vessel; the suspension of the

manhole cover is incomplete on 1 vessel.; some residues of previous content

Volumetric volume (L): 1.285 L

Pressure in tank: ATM - atmosferic

Max. pressure (Bar): 2 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN40 DIN 11851

Top: 2,50 mm

Cylinder: 2 mm

Bottom: 2 mm

Internal diameter tank: 1.000 mm

Outer diameter tank: 1.160 mm

Cylinder height: 1.250 mm

Total height of tank: 3.050 mm

SKU: 279268

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 50 °C

Mobil tank: Nej

Övrig information: Brewery; According to information from the previous operator, the tanks were last used as fermentation tanks in a brewery with an operating pressure of +2 bar.

According to the drawing, the tanks

Omrörare: Nej

Övertryck: 2 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1285

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Cylinderhöjd: 1.250 mm
Invändig diameter: 1.000 mm
Total höjd: 3.050 mm
Ytterdiameter: 1.160 mm

Tjocklek på tank

Botten: 2 mm
Cylinder: 2 mm
Topp: 2,50 mm

Mer

Isolerad: Ja