1285 liter tank i Rostfritt 304



113 000 SEK /st exkl moms

Additional information: According to the previous operator, the vessels were last used as fermentation tanks in a brewery with an operating pressure of + 2 bar. According to the drawing, the tanks were approved with a test pressure of +4 bar. However, a TÜV test was not carried out; manhole diameter 350 mm; 1 height-adjustable spherical head screw of the feet is missing on one vessel; the suspension of the manhole cover is incomplete on 1 vessel.; some residues of previous content

Volumetric volume (L): 1.285 L
Pressure in tank: pressure
Max. pressure (Bar): 2 Bar
Min. pressure (Bar): 2 Bar

Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)
Model: vertical
Configuration: insulated
Heat exchanger: no

Insulation: yes
Mobile tank: no
Total discharge: yes
Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: DN40 DIN 11851
Top: 2,50 mm
Cylinder: 2 mm
Bottom: 2 mm
Internal diameter tank: 1.000 mm

Outer diameter tank: 1.160 mm
Cylinder height: 1.250 mm
Total height of tank: 3.050 mm

SKU: 403298

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: insulated with heat-exchanger
Max. arbetstemperatur: 50 °C
Mobil tank: Nej
Övrig information: Brewery; According to information from the previous operator, the tanks were last used as fermentation tanks in a brewery with an operating pressure of +2 bar. According to the drawing, the tanks
Övrig information2:
Omrörare: Nej
Övertryck: 2 Bar
Total urtappning: Ja
Undertryck (vakuum): 2 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1285

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.250 mm
Invändig diameter: 1.000 mm
Total höjd: 3.050 mm
Ytterdiameter: 1.160 mm

Tjocklek på tank

Botten: 2 mm
Cylinder: 2 mm
Topp: 2,50 mm

Mer

Isolerad: Ja