



1300 liter tank i Syrafast 316



Additional information: food industry; 1 stronger dent in the insulation jacket; 1 funnel approx. 680 x 480 mm in the upper bottom (tapers to approx. 680 x 200 mm); tank cover made of 1.4301 (Aisi 304); some residues of previous content; motor is missing

Capacity: 1.300 L

Working pressure in tank: vacuum

Underpressure (vacuum): 1 Bar

Max. working temperature: 143 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes



Insulation: yes

Agitator: yes

Mobile tank: no

Total discharge: yes

Volume: 170 L

Max Overpressure: 3 Bar

Max. working temperature: 143 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Tank outlet: 100

Internal diameter tank: 1.090 mm

Outer diameter tank: 1.290 mm

Total height of tank: 2.750 mm

SKU: 26214

Additional Information

Volym i liter	1300
Nyttillverkad/Begagnad	Begagnad
Modell	Vertikal
Material	Syrafast 316
Omrörare	Ja



Uppvärmning/kylning	Ja
Isolerad	Ja