1300 liter tank i Rostfritt 304



31 000 SEK /st exkl moms

Additional information: Manhole approx. 340 x 435 mm; height-adjustable screws of the feet missing; dents in the upper bottom and transition cylinder/upper bottom (excess pressure)
Volumetric volume (L): 1.300 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: DN50 DIN 11851
Internal diameter tank: 1.060 mm
Cylinder height: 1.500 mm
Total height of tank: 2.100 mm

SKU: 451220

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: Spirits; Manhole approx. 340 x 435 mm; height-adjustable screws of the feet are missing; Dents in the upper bottom floor and transition cylinder/upper bottom (overpressure)
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 1300

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 1.500 mm
Invändig diameter: 1.060 mm
Total höjd: 2.100 mm

Mer

Isolerad: Nej