

## 1300 liter tank i Syrafast 316



**68,000,00 kr /st exkl moms**

**Additional information:** Pharmacy; Manhole diameter approx. 420 mm

**Volumetric volume (L):** 1.300 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 0,10 Bar

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 50

**Agitator:** yes

**Number of revolutions:** 970 / 1465

**Power:** 2.8 / 4.2

**Cylinder:** 2,90 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.140 mm

**Cylinder height:** 1.000 mm

**Total height of tank:** 2.950 mm

**SKU:** 486203

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Pharmacy; Manhole diameter approx. 420 mm; we can't give any guarantees about the agitator

Omrörare: Ja

Övertryck: 0,10 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 1300

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 1.000 mm

Invändig diameter: 1.140 mm

Total höjd: 2.950 mm

## Omrörare

Kraft (kW): 2.8 / 4.2

Varvtal: 970 / 1465

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 2,90 mm

**Mer**

Isolerad: Nej