

## 13000 liter tank i Rostfritt 304



**56 000 SEK /st exkl moms**

**Additional information:** Chemistry; Manhole approx. 320 x 440 mm in the upper cylinder area; outlet with screwed-on line made of Fe (galvanized); strong dents in the cylinder, smaller dents in the bottoms; some residues of previous content

**Volumetric volume (L):** 13.000 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** single-skin  
**Heat exchanger:** no  
**Insulation:** no  
**Mobile tank:** no  
**Total discharge:** yes

**Documents included:** no  
**Technical drawing included:** no  
**Registration plate on the tank:** yes  
**Flange for agitator:** no  
**Position of manway:** cylinder

**Outlet of tank:** 55  
**Internal diameter tank:** 2.590 mm  
**Cylinder height:** 2.500 mm  
**Total height of tank:** 3.350 mm

**SKU:** 298830

## Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Manhole approx. 320 x 440 mm in the upper cylinder area; outlet with screwed-on line made of Fe (galvanized); strong dents in the cylinder, smaller dents in the bottoms; some residues of

Övrig information2: previous content

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 13000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 2.590 mm

Total höjd: 3.350 mm

## Mer

Isolerad: Nej

