

## 13000 liter tank i Rostfritt 304



**111,000,00 kr /st exkl moms**

**Additional information:** Brewery; 1 manhole approx. 300 x 395 mm in the front bottom; 3 loose bearing shells, Fe; 1 dent in the transition cylinder/front bottom (see photos)

**Volumetric volume (L):** 13.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 316 (V4A)

**Model:** horizontal

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Outlet of tank:** DN65 DIN 11851

**Internal diameter tank:** 2.190 mm

**Outer diameter tank:** 2.700 mm

**Total height of tank:** 2.550 mm

**Total outer length:** 4.100 mm

**SKU:** 315050

---

Mer information

## Beskrivning av produkt

Material: Syrafast 316

Modell: Horisontell

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Brewery; 1 manhole approx. 300 x 395 mm in the front bottom; 3 loose bearing shells, Fe; 1 dent in the transition cylinder/front bottom (see photos)

Omrörare: Nej

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 13000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Invändig diameter: 2.190 mm

Total höjd: 2.550 mm

Ytterdiameter: 2.700 mm

## Mer

Isolerad: Nej