

## 13000 liter tank i Syrafast 316



**125,000,00 SEK /st exkl moms**

**Additional information:** Food; bump at the insulation jacket

**Volumetric volume (L):** 13.000 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 95 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 35

**Agitator:** yes

**Number of revolutions:** 480

**Power:** 6

**Internal diameter tank:** 2.200 mm

**Outer diameter tank:** 2.420 mm

**Cylinder height:** 3.500 mm

**Total height of tank:** 5.850 mm

**SKU:** 570686

Mer information



## Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosfERIC

Konfiguration: insulated

Max. arbetstemperatur: 95 °C

Mobil tank: Nej

Övrig information: Food; bump at the insulation jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 13000

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Syrafast 316

## Dimensioner av tank

Cylinderhöjd: 3.500 mm

Invändig diameter: 2.200 mm

Total höjd: 5.850 mm

Ytterdiameter: 2.420 mm

## Omrörare

Kraft (kW): 6

Varvtal: 480

**Mer**

Isolerad: Ja

---