

## 13200 liter tank i Rostfritt 304



**105 000 SEK /st exkl moms**

**Additional information:** Chemistry; Smaller dents in the cylinder (see photos); some residues of previous content

**Volumetric volume (L):** 13.200 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** DN50 DIN 11851

**Agitator:** yes

**Number of revolutions:** 1.420

**Power:** 2,20

**Internal diameter tank:** 2.400 mm

**Cylinder height:** 2.500 mm

**Total height of tank:** 3.800 mm

**Empty weight tank:** 950

**SKU:** 280039

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Mobil tank: Nej

Övrig information: Chemistry; Smaller dents in the cylinder (see photos); some residues of previous content; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 13200

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 2.500 mm

Invändig diameter: 2.400 mm

Total höjd: 3.800 mm

## Omrörare

Kraft (kW): 2,20

Varvtal: 1.420

**Mer**

Isolerad: Nej

Vikt: 950