

## 13390 liter tank i Syrafast 316



**295,000,00 kr /st exkl moms**

**Additional information:** Chemistry; Manhole diameter approx. 570 mm; outlet with sieve insert (see photos); some residues of previous content; Metallic discolouration inside

**Volumetric volume (L):** 13.390 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar

**Min. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 200 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 415 L

**Max Overpressure:** 6 Bar

**Max onderdruk:** 1 Bar

**Max. working temperature:** 200 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** in the bottom

**Outlet of tank:** 140

**Agitator:** yes

**Number of revolutions:** 53

**Power:** 15

**Internal diameter tank:** 2.390 mm

**Cylinder height:** 2.250 mm

**Total height of tank:** 5.700 mm

**Empty weight tank:** 5.800

**SKU:** 272881

---

Mer information

---