

## 1340 liter tank i Rostfritt 304



**58,000,00 kr /st exkl moms**

**Additional information:** Food industry; Outlet with fitting (see photos)

**Volumetric volume (L):** 1.340 L

**Pressure in tank:** ATM - atmosferic

**Max. temperature (°C):** 85 °C

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** cylinder

**Outlet of tank:** 65

**Agitator:** yes

**Number of revolutions:** 138

**Power:** 1,10

**Internal diameter tank:** 1.290 mm

**Cylinder height:** 870 mm

**Total height of tank:** 2.180 mm

**SKU:** 303662

Mer information

## Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: ATM – atmosferic

Konfiguration: single-skin

Max. arbetstemperatur: 85 °C

Mobil tank: Nej

Övrig information: Food industry; Outlet with fitting (see photos); we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1340

## Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

## Översikt material

Material: Rostfritt 304

## Dimensioner av tank

Cylinderhöjd: 870 mm

Invändig diameter: 1.290 mm

Total höjd: 2.180 mm

## Omrörare

Kraft (kW): 1,10

Varvtal: 138

**Mer**

Isolerad: Nej

---