

13500 liter tank i Rostfritt 304



152 000 SEK /st exkl moms

Additional information: Brewery; Test certificate available; 1 heating / cooling ring (approx. 125 mm wide) around the lower cylinder area; 1 foot without height-adjustable screw and slightly shorter (presumably formerly with load cell (no longer available); this would have to be compensated for on site during installation); see photos

Volumetric volume (L): 13.500 L

Pressure in tank: pressure

Max. pressure (Bar): 4 Bar

Max. temperature (°C): 20 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Max Overpressure: 4 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.980 mm

Cylinder height: 3.750 mm

Total height of tank: 5.000 mm

Empty weight tank: 1.400

SKU: 276793

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: pressure

Konfiguration: single-skin

Max. arbetstemperatur: 20 °C

Mobil tank: Nej

Övrig information: Brewery; Test certificate available; 1 heating / cooling ring (approx. 125 mm wide) around the lower cylinder area; 1 foot without height-adjustable screw and slightly shorter (presumably formerly

Övrig information2: with load cell (no longer available); this would have to be compensated for on site during installation); see photos

Omrörare: Nej

Övertryck: 4 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Nej

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 13500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.750 mm

Invändig diameter: 1.980 mm

Total höjd: 5.000 mm

Mer

Isolerad: Nej

Vikt: 1.400
