

13500 liter tank i Rostfritt 304



118 000 SEK /st exkl moms

Additional information: Small dents in the inner cylinder; insulation of the lower base no longer complete; some residues of previous content; bump at the insulation jacket; Functionality of the double jacket not checked

Volumetric volume (L): 13.500 L

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Type HE on the bottom: heating/cooling jacket
Type HE on the cylinder: heating/cooling jacket
Heat exchanger: RVS 304
Documents included: no
Technical drawing included: no

Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside
Outlet of tank: 70
Agitator: yes

Number of revolutions: 690 / 1390
Internal diameter tank: 2.190 mm
Outer diameter tank: 2.350 mm
Cylinder height: 3.700 mm
Total height of tank: 5.650 mm

SKU: 277852

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Small dents in inner cylinder; insulation of the lower bottom no longer complete; some residues of previous content;bump at the insulation jacket;Functionality of the double jacket not checked; we

Övrig information2: can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 13500

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.700 mm

Invändig diameter: 2.190 mm

Total höjd: 5.650 mm

Ytterdiameter: 2.350 mm

Omrörare

Varvtal: 690 / 1390

Mer

Värmeväxlare: RVS 304

Isolerad: Ja