

## 13500 liter tank i Rostfritt 304



**118,000,00 kr /st exkl moms**

**Additional information:** Small dents in inner cylinder; insulation of the lower bottom no longer complete; some residues of previous content; bump at the insulation jacket; Functionality of the double jacket not checked

**Volumetric volume (L):** 13.500 L

**Pressure in tank:** ATM - atmosferic  
**Material wet parts:** SS AISI 304 (V2A)  
**Model:** vertical

**Configuration:** insulated with heat-exchanger  
**Heat exchanger:** yes  
**Insulation:** yes  
**Mobile tank:** no  
**Total discharge:** yes

**Type HE on the bottom:** heating/cooling jacket  
**Type HE on the cylinder:** heating/cooling jacket  
**Heat exchanger:** RVS 304  
**Documents included:** no  
**Technical drawing included:** no

**Registration plate on the tank:** no  
**Flange for agitator:** no  
**Position of manway:** headside  
**Outlet of tank:** 70  
**Agitator:** yes

**Number of revolutions:** 690 / 1390  
**Internal diameter tank:** 2.190 mm  
**Outer diameter tank:** 2.350 mm  
**Cylinder height:** 3.700 mm  
**Total height of tank:** 5.650 mm

**SKU:** 277852

## Mer information

### Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: ATM – atmosferic

Konfiguration: insulated with heat-exchanger

Mobil tank: Nej

Övrig information: Small dents in inner cylinder; insulation of the lower bottom no longer complete; some residues of previous content;bump at the insulation jacket;Functionality of the double jacket not checked; we

Övrig information2: can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 13500

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Nej

Teknisk ritning finns: Nej

### Översikt material

Material: Rostfritt 304

### Dimensioner av tank

Cylinderhöjd: 3.700 mm

Invändig diameter: 2.190 mm

Total höjd: 5.650 mm

Ytterdiameter: 2.350 mm

**Omrörare**

Varvtal: 6.901.390

**Mer**

Värmeväxlare: RVS 304

Isolerad: Ja