13500 liter tank i Rostfritt 304



69 000 SEK /st exkl moms

Additional information: chemistry; Interior fittings (see photos); some residues of previous content
Volumetric volume (L): 13.500 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: yes
Position of manway: cylinder

Outlet of tank: flange DN80
Cylinder: 2,50 mm
Internal diameter tank: 2.380 mm
Cylinder height: 3.000 mm
Total height of tank: 4.000 mm

SKU: 393044

Mer information

Beskrivning av produkt

Material: Rostfritt 304
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: ATM – atmosferic
Konfiguration: single-skin
Mobil tank: Nej
Övrig information: chemistry; fixtures inside (see pictures); some residues of previous content
Omrörare: Nej
Total urtappning: Ja
Uppvärmning/kylning: Nej
Vätskeberörd yta: SS AISI 304 (V2A)
Volym i liter: 13500

Utrustning

Dokument finns: Nej
Fläns för omrörare: Ja
Märkskylt: Nej
Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304

Dimensioner av tank

Cylinderhöjd: 3.000 mm
Invändig diameter: 2.380 mm
Total höjd: 4.000 mm

Tjocklek på tank

Cylinder: 2,50 mm

Mer

Isolerad: Nej