

1355 liter tank i Rostfritt 304



116,000,00 kr /st exkl moms

Additional information: cosmetics

Volumetric volume (L): 1.355 L

Pressure in tank: vacuum

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 133 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 60 L

Max Overpressure: 4 Bar

Max. working temperature: 155 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN65

Agitator: yes

Number of revolutions: 145 - 860

Internal diameter tank: 1.140 mm

Outer diameter tank: 1.600 mm

Cylinder height: 1.150 mm

Total height of tank: 3.200 mm

SKU: 486878

Mer information

Beskrivning av produkt

Material: Rostfritt 304

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetsstryck i tank: vacuum

Konfiguration: insulated with heat-exchanger

Max. arbetstemperatur: 133 °C

Mobil tank: Nej

Övrig information: cosmetics; we can't give any guarantees about the heating/cooling jacket; we can't give any guarantees about the agitator

Omrörare: Ja

Total urtappning: Ja

Undertryck (vakuum): 1 Bar

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 304 (V2A)

Volym i liter: 1355

Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

Översikt material

Material: Rostfritt 304



Dimensioner av tank

Cylinderhöjd: 1.150 mm
Invändig diameter: 1.140 mm
Total höjd: 3.200 mm
Ytterdiameter: 1.600 mm

Omrörare

Varvtal: 145 – 860

Mer

Isolerad: Ja