13700 liter tank i Syrafast 316



168 000 SEK /st exkl moms

Additional information: yeast tank in a brewery; Cone height approx. 1,300 mm
Volumetric volume (L): 13.700 L
Pressure in tank: pressure
Max. pressure (Bar): 1 Bar

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Min. pressure (Bar): 1 Bar

Max. temperature (°C): 20 °C
Material wet parts: SS AISI 316 (V4A)
Model: vertical
Configuration: single-skin
Heat exchanger: no

Insulation: no
Mobile tank: no
Total discharge: yes
Volume: 40 L
Max Overpressure: 3 Bar

Max. working temperature: 2 °C
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Position of manway: headside
Outlet of tank: DN65 DIN 11851
Cylinder: 3 mm
Bottom: 4 mm
Internal diameter tank: 2.600 mm

Cylinder height: 1.800 mm
Total height of tank: 4.650 mm

SKU: 396053

Mer information

Beskrivning av produkt

Material: Syrafast 316
Modell: Vertikal
Nytillverkad/Begagnad: Begagnad
Arbetstryck i tank: pressure
Konfiguration: single jacketed with heat-exchanger
Max. arbetstemperatur: 20 °C
Mobil tank: Nej
Övrig information: yeast tank in a brewery; cone height appr. 1.300 mm
Omrörare: Nej
Övertryck: 1 Bar
Total urtappning: Ja
Undertryck (vakuum): 1 Bar
Trycktank: Ja
Uppvärmning/kylning: Ja
Vätskeberörd yta: SS AISI 316 (V4A)
Volym i liter: 13700

Utrustning

Dokument finns: Nej
Fläns för omrörare: Nej
Märkskylt: Ja
Teknisk ritning finns: Nej

Översikt material

Material: Syrafast 316

Dimensioner av tank

Cylinderhöjd: 1.800 mm
Invändig diameter: 2.600 mm
Total höjd: 4.650 mm

Tjocklek på tank
Botten: 4 mm
Cylinder: 3 mm

Mer
Isolerad: Nej