

## 13700 liter tank i Syrafast 316



**178,000,00 kr /st exkl moms**

**Additional information:** yeast tank in a brewery; cone height appr. 1.300 mm

**Volumetric volume (L):** 13.700 L

**Pressure in tank:** pressure

**Max. pressure (Bar):** 1 Bar

**Max. temperature (°C):** 20 °C

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 40 L

**Max Overpressure:** 3 Bar

**Max. working temperature:** 2 °C

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** DN65 DIN 11851

**Cylinder:** 3 mm

**Bottom:** 4 mm

**Internal diameter tank:** 2.600 mm

**Cylinder height:** 1.800 mm

**Total height of tank:** 4.650 mm

**SKU:** 271942

## Mer information

### Beskrivning av produkt

Material: Syrafast 316

Modell: Vertikal

Nyttillverkad/Begagnad: Begagnad

Arbetstryck i tank: pressure

Konfiguration: single jacketed with heat-exchanger

Max. arbetstemperatur: 20 °C

Mobil tank: Nej

Övrig information: yeast tank in a brewery; cone height appr. 1.300 mm

Omrörare: Nej

Övertryck: 1 Bar

Total urtappning: Ja

Trycktank: Ja

Uppvärmning/kylning: Ja

Vätskeberörd yta: SS AISI 316 (V4A)

Volym i liter: 13700

### Utrustning

Dokument finns: Nej

Fläns för omrörare: Nej

Märkskylt: Ja

Teknisk ritning finns: Nej

### Översikt material

Material: Syrafast 316

### Dimensioner av tank

Cylinderhöjd: 1.800 mm

Invändig diameter: 2.600 mm

Total höjd: 4.650 mm

**Tjocklek på tank**

Botten: 4 mm

Cylinder: 3 mm

**Mer**

Isolerad: Nej